



2/12






FIG. 6






FIG. 7

4/12



5/12

Stay Back Stay Alive Sign

Lamp Baseline Assumptions:

- Lamp Size: 8.5" x 72"
- Construction: Hybrid
- Lit Color: Yellow has a yellow on/off color
- Interconnection: Crimp with Wires
- ITO Substrate Thickness: 0.007" (0.178mm)
- Nominal Lamp Thickness: 0.015" (0.38mm)
- Part Label: On packaging
- Adhesive: None
- Insulator: 0.0015" tape (a thicker laminate may be required for durability)
- Overprint: TBD

Power Supply Specs

Driver	2-Amp or 5-Amp driver (120V _{rms} /60Hz input » 140V _{rms} /600Hz output)
--------	---

FIG. 10

6/12




FIG. 11

7/12




FIG. 12




FIG. 13





FIG. 14

9/12



10/12




FIG. 16A




FIG. 16B

11/12




FIG. 17




FIG. 18

TITLE: SNOW REMOVAL VEHICLES WITH COLORED EL LIGHTING

INVENTOR'S NAME: AARON GOLLE, ET AL.

SERIAL NO.: 10/707,619 DOCKET NO.: 1748.006US1

REPLACEMENT SHEET

12/12




FIG. 19